

Collaborative Proposal: A monitoring program for near-surface temperature, salinity, and fluorescence fields in the Northeast Pacific Ocean

(Collaborating institutions: Institute of Marine Science, University of Alaska Fairbanks (lead institution) and Center for Coastal Physical Oceanography, Old Dominion University)

Project Number: 02614
Restoration Category: Ecosystem Synthesis/GEM Transition/New Projects/
Innovative Tools and Strategies to Improve Monitoring
Proposer: Stephen R. Okkonen
Institute of Marine Science
University of Alaska Fairbanks
Fairbanks, Alaska 99775
Lead Trustee Agency: ADFG
Cooperating Agencies:
Alaska Sea Life Center: No
Duration: 1st year, 2-year project
Cost FY 02: \$31.1
Cost FY 03: \$14.0
Geographic Area: Northeast Pacific Ocean
Injured Resource/Service:

ABSTRACT

The objective for this proposed research is to use a thermosalinograph and fluorometer, to be installed on a crude oil tanker, to acquire continuous, long-term measurements of the near-surface temperature, salinity, and fluorescence fields along the tanker route between Valdez, Alaska and Long Beach, California.

INTRODUCTION

The research proposed herein describes a two-year, proof-of-concept project to demonstrate the use of a crude oil tanker as a platform from which to acquire measurements of oceanographic field variables (near-surface temperature, salinity, and fluorescence) in the Northeast Pacific Ocean. The results from this project will be used as a basis to pursue GEM funding for long-term monitoring of oceanographic field variables from crude oil tankers.

NEED FOR THE PROJECT

A. Statement of Problem

In order to assess the long-term recovery of marine resources impacted by the *Exxon Valdez* Oil Spill against the background of climate-driven variability of those resources, long-term measurements of oceanographic conditions are required. Additionally, while the most significant spill-related impacts upon the marine environment occurred in coastal and near-shore domains, the long-term health of those marine ecosystems depends, in part, upon biophysical linkages to the shelf, slope, and open-ocean domains. Consequently, multi-decadal records of oceanic conditions within each of these domains is necessary to develop an understanding of natural and anthropogenic variability in the marine environment of the northern Gulf of Alaska.

B. Rationale

In recent years there has been increasing awareness of large-scale, multi-decadal changes in the climate of the world ocean. However, translating awareness of long-term climate variability into understanding the regional and local physical and biological consequences of a changing environment has been hampered by the dearth of long-term oceanographic measurements in the Northeast Pacific. Presently, the only multi-decadal time series of oceanographic conditions (temperature and salinity) in the region are for Ocean Station P/Line P and station GAK-1 near Seward, Alaska (Figure 1).

Commercial cargo vessels operating within established shipping corridors in the Northeast Pacific are potential ships-of-opportunity from which high-resolution measurements of oceanographic conditions could be acquired at regular intervals. Crude oil tankers, traveling between Valdez, Alaska and Long Beach, California, are particularly well suited for this purpose as individual tankers cross shelf, slope, and open ocean regimes every 10 to 14 days and will continue to do so for many years to come.

To demonstrate the suitability of tankers as a traveling platform, we propose to install a thermosalinograph (TSG) and fluorometer on a tanker to acquire high-resolution measurements of near-surface temperature, salinity, and fluorescence (a proxy for phytoplankton biomass).

Some might argue that satellites are better platforms from which to acquire these measurements of ocean surface conditions. However, ocean color and sea surface temperature sensors detect

wavelengths in the visible and infrared portion of the electro-magnetic spectrum and are therefore unable to detect sea surface features through the clouds which cover much of the Gulf of Alaska for much of the year. With respect to remote sensing of sea surface salinity, there are no satellite-borne salinity sensors at this time.

C. Location

Measurements of temperature, salinity, and fluorescence will be acquired along the tanker corridor between Valdez, Alaska and Long Beach, California (Figure 1).

Figure 1

PROJECT DESIGN

A. Objectives

The objectives for this project are to:

1. Establish a working relationship with the crude oil tanker fleet to use individual tankers as platforms from which to acquire continuous, long-term measurements of oceanographic field variables (e.g. temperature, salinity, fluorescence) along the shipping corridor between Valdez, Alaska and Long Beach, California. Install a thermosalinograph and fluorometer on a tanker to acquire these measurements.
2. Identify the seasonal migration and evolution of frontal features associated with the Alaska Coastal Current (ACC), shelf break, and mesoscale eddies.
3. Identify the dominant length scales of variability (and seasonal modulation of those length scales) characterizing the near-surface temperature, salinity, and fluorescence fields along the shipping corridor. These scales of variability will likely differ between shelf and the open ocean.
4. Compare TSG/fluorometer measurements with TOPEX altimeter observations of the Gulf of Alaska eddy field.
5. Compare TSG/fluorometer data with contemporaneous NEP GLOBEC field data.
6. Provide temperature, salinity, and fluorescence field data to David Welch (Pacific Biological Station, Nanaimo, British Columbia) for comparison with coincident continuous plankton recorder (CPR) observations.

A. Methods

The TSG and fluorometer will be installed in the sea chest of a tanker. The sea chest draws seawater through an intake located a few meters below the sea surface. The exact depth of the intake water will depend on the particular vessel design and the amount of cargo and/or ballast carried. With approval of the ship's chief engineer, a remote temperature sensor will be installed as close to the intake as is practical to mitigate the biasing of the temperature measurements due to the ship's thermal inertia.

TSG and fluorometer measurements will be acquired once per five seconds (nominal). For a tanker traveling at 20 knots this translates to a sample spacing of ~50 m. This data stream will be merged with concurrent GPS navigation data and stored on the hard drive of a dedicated PC. Repeat measurements along the shipping corridor will allow time-space matrices of temperature, salinity, and fluorescence to be constructed. After a yearlong record of measurements is acquired, characteristic spatial scales of variability and their seasonal modulation will be determined from spectral and geometric analyses of the data matrices.

The seasonal evolution of frontal features associated with the ACC, the shelf break, and mesoscale eddies will also be monitored. Because of secondary circulation associated with frontal features, they tend also to be zones in which there are population aggregations across many trophic levels.

SCHEDULE

A. Measurable Project Tasks for FY 02 (1 October 2001 – 30 September 2002)

15 October 01:	Order instrumentation and ancillary hardware
15 December 01:	Install TSG and fluorometer on tanker
1 January 02 - 30 September 02:	Data acquisition

B. Project Milestones and Endpoints

1 Oct 2001 - ongoing	Project Design Objective 1
1 Dec 2001 - ongoing	Project Design Objectives 2, 4, 5, 6
1 Jan 2003 - 1 Mar 2003	Project Design Objective 3 (use first year of data)
1 Mar 2003 - 30 Apr 2003	Prepare manuscript(s), see Publications and Reports section below
15 Apr 2003	Submit annual report

C. Completion Date

30 September 2003	Completion of final report
-------------------	----------------------------

PUBLICATIONS AND REPORTS

No publications are anticipated for FY 02.

Potential FY 03 publications: Seasonal evolution of frontal features in northern Gulf of Alaska; Comparison of TSG, fluorescence, and TOPEX altimeter observations of Gulf of Alaska eddies; Comparison of TSG, fluorescence and continuous plankton recorder observations in the Northeast Pacific Ocean (with David Welch, Pacific Biological Station, Nanaimo, British Columbia).

PROFESSIONAL CONFERENCES

Attend Trustee Council's annual workshop in Anchorage January 2002, 2003.

COORDINATION AND INTEGRATION OF RESTORATION EFFORT

Data acquired for this project will be posted on the UAF/Institute of Marine Science web page.

Okkonen has an ongoing NASA-funded project to use the TOPEX altimeter to observe the mesoscale eddy field in the Gulf of Alaska and to share that data with collaborating NEP GLOBEC researchers (Tom Weingartner, UAF; Tom Royer, ODU)

Royer is a funded researcher with the NEP GLOBEC project for the next four years.

Existing collaborative relationships with NEP GLOBEC researchers will be exploited to:

- (1) compare TSG surface field observations (this proposed research) with contemporaneous subsurface temperature and salinity measurements from within Prince William Sound and from the nearby shelf and
- (2) use retrospective studies of historical VOS (XBT and XCTD) and GAK1 data to provide a historical context for consideration of the TSG data.

The opportunity also exists to make similar comparisons of the TSG data with historical and contemporaneous Ocean Station P/Line P data.

We also plan to share our data with David Welch, Pacific Biological Station, Nanaimo, British Columbia. He has a current project in which he has a continuous plankton recorder (CPR) deployed 5x/year on a tanker traveling between Valdez and Long Beach. The TSG/fluorometer/CPR data sets would be highly complementary in that temperature, salinity, and fluorescence gradients could be directly compared with plankton distributions along the tanker route.

PROPOSED PRINCIPAL INVESTIGATOR

Stephen R. Okkonen
Institute of Marine Science
University of Alaska Fairbanks
Fairbanks, Alaska 99775
(907) 283-3234
okkonen@alaska.net

Okkonen will have primary responsibility for initial data processing, length scale analyses, frontal feature analyses, and comparison with TOPEX data.

CO-PRINCIPAL INVESTIGATOR

Thomas C. Royer
Center for Coastal Physical Oceanography
Department of Ocean, Earth and Atmospheric Sciences
Old Dominion University
768 W. 52nd St.
Norfolk, VA 23529
(757) 683-5547
(757) 683-5550 (FAX)
royer@ccpo.odu.edu

Royer will have primary responsibility for comparison of TSG data with GLOBEC data and with historical data.

OTHER KEY PERSONNEL

Dave Cutchin
San Diego, California

Dave Cutchin will be issued a sub-contract to install the thermosalinograph, fluorometer, and ancillary hardware on the tanker and to provide annual maintenance of the instruments. He was responsible for TSG installations on other VOS platforms both prior to and during WOCE.

2002 EXXON VALDEZ TRUSTEE COUNCIL PROJECT BUDGET

October 1, 2001 - September 30, 2002

Budget Category:	Authorized FY 2001	Proposed FY 2002							
Personnel		\$0.0							
Travel		\$0.0							
Contractual		\$35.7							
Commodities		\$0.0							
Equipment		\$0.0							
Subtotal		\$35.7	LONG RANGE FUNDING REQUIREMENTS						
General Administration		\$2.5	Estimated FY 2003						
Project Total		\$38.2	\$17.1						
Full-time Equivalents (FTE)		0.1							
			Dollar amounts are shown in thousands of dollars.						
Other Resources									
Comments:									

FY02

Prepared: April 2001

Project Number: 02614
 Project Title:
 Agency: Alaska Department of Fish and Game

FORM 3A
 TRUSTEE
 AGENCY
 SUMMARY

2002 EXXON VALDEZ TRUSTEE COUNCIL PROJECT BUDGET

October 1, 2001 - September 30, 2002

Budget Category:	Authorized FY 2001	Proposed FY 2002					
Personnel		\$4.8					
Travel		\$0.4					
Contractual		\$8.2					
Commodities		\$0.2					
Equipment		\$15.0	LONG RANGE FUNDING REQUIREMENTS				
Subtotal		\$28.6	Estimated				
Indirect		\$7.1	FY 2003				
Project Total		\$35.7	\$17.1				
Full-time Equivalents (FTE)		0.1					
Dollar amounts are shown in thousands of dollars.							
Other Resources							
<p>Comments:</p> <p align="center">The indirect rate is 25% TDC, as negotiated by the Exxon Valdez Oil Spill Trustee Council with the University of Alaska.</p>							

FY02

Prepared: April 2001

Project Number: 02614
 Project Title: Monitoring Program: near-surface temperature, salinity,
 & fluorescence fields in NE Pacific Ocean
 Name: University of Alaska Fairbanks

FORM 4A
 Non-Trustee
 SUMMARY

2002 EXXON VALDEZ TRUSTEE COUNCIL PROJECT BUDGET

October 1, 2001 - September 30, 2002

Contractual Costs:		Proposed
Description		FY 2002
phone/fax/internet		0.2
software maintenance		0.1
shipping		0.9
Subcontact: D. Cutchins		7.0
Contractual Total		\$8.2
Commodities Costs:		Proposed
Description		FY 2002
Project supplies		0.2
Commodities Total		\$0.2

FY02

Prepared: April 2001

Project Number: 02614
 Project Title: Monitoring Program: near-surface temperature, salinity,
 & fluorescence fields in NE Pacific Ocean
 Name: University of Alaska Fairbanks

FORM 4B
 Contractual &
 Commodities
 DETAIL

2002 EXXON VALDEZ TRUSTEE COUNCIL PROJECT BUDGET

October 1, 2001 - September 30, 2002

New Equipment Purchases:		Number of Units	Unit Price	Proposed FY 2002
Description				
	thermosalinograph	1	6.9	6.9
	remote temp. sensor	1	1.5	1.5
	mount kit	1	0.5	0.5
	kill cell	1	0.1	0.1
	Fluorometer	1	3.0	3.0
	GPS	1	0.5	0.5
	computer	1	1.5	1.5
	misc. hardware	1	1.0	1.0
				0.0
				0.0
				0.0
				0.0
				0.0
Those purchases associated with replacement equipment should be indicated by placement of an R.			New Equipment Total	\$15.0
Existing Equipment Usage:		Number of Units		
Description				

FY02

Project Number: 02614
 Project Title: Monitoring Program: near-surface temperature, salinity, & fluorescence fields in NE Pacific Ocean
 Name: University of Alaska Fairbanks

FORM 4B
 Equipment
 DETAIL

Prepared: April 2001